

# CHILLERS



SINGLE DOOR CHILLER



## SGSC718

### Specification

Gross Capacity (Ltr)	600
Cooling System	Fan Cooling
Door	Double Layered Glass
Shelves / Lock & Key	5 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1990x710x690 / 2115x774x754
Weight (Net /Gross Kg)	104 / 124
Stuffing (20'/40'/40'HC Units)	21/45/45

SINGLE DOOR CHILLER



## SGSC455

### Specification

Gross Capacity (Ltr)	450
Cooling System	Direct Cooling System With Fan
Door	Tempered Glass Door
Shelves / Lock & Key	5 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1955x661x588 / 2050x756x685
Weight (Net /Gross Kg)	86/96
Stuffing 40' Units)	-/-/51

SINGLE DOOR CHILLER



## SGSC430

### Specification

Gross Capacity (Ltr)	430
Cooling System	Direct Cooling System With Fan
Door	Up & Down Glass Door
Shelves / Lock & Key	5 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1985x600x590 / 2030x670x630
Weight (Net /Gross Kg)	83/90
Stuffing (20'/40'/40'HC Units)	27/57/73

SINGLE DOOR CHILLER



## SGSC395

### Specification

Gross Capacity (Ltr)	395
Cooling System	Direct Cooling With Fan
Door	Double Layer Glass Door
Shelves / Lock & Key	5 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2005x600x590 / 2035x635x620
Weight (Net /Gross Kg)	75/85
Stuffing (20'/40'/40'HC Units)	-/-/75



**SGSC396**

**Specification**

Gross Capacity (Ltr)	395
Cooling System	Fan Cooling
Door	Double Layered Glass
Shelves / Lock & Key	5 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1824x578x605 / 1870x624x630
Weight (Net /Gross Kg)	69.8 / 73
Stuffing (20'/40'/40"HC Units)	27/57/75

SINGLE DOOR CHILLER



**SGSC295**

**Specification**

Gross Capacity (Ltr)	295
Cooling System	Direct Cooling With Fan
Door	Double Layer Glass Door
Shelves / Lock & Key	5 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1730x540x570 / 1760x580x610
Weight (Net /Gross Kg)	62/69
Stuffing (20'/40'/40"HC Units)	-/-/102

SINGLE DOOR CHILLER



**SGSC1219IF**

**Specification**

Gross Capacity (Ltr)	1200
Cooling System	Fan Cooling
Door	Double Layered Glass With French Door
Shelves / Lock & Key	10 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1130x720 / 2100x1180x770
Weight (Net /Gross Kg)	156/167
Stuffing (20'/40'/40"HC Units)	15/30/30

FRENCH DOOR CHILLER



**SGSC1218IF**

**Specification**

Gross Capacity (Ltr)	1200
Cooling System	Fan Cooling
Door	Double Layered Glass With French Door
Shelves / Lock & Key	10 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1130x720 / 2100x1180x770
Weight (Net /Gross Kg)	156/167
Stuffing (40' Units)	15/30/30

FRENCH DOOR CHILLER

# CHILLERS



FRENCH DOOR CHILLER



## SGSC1019IF

### Specification

Gross Capacity (Ltr)	1000
Cooling System	Fan Cooling
Door	Double Layered Glass With French Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1000x720 / 2100x1050x770
Weight (Net /Gross Kg)	144/154
Stuffing (20'/40'/40'HC Units)	16/33/33

FRENCH DOOR CHILLER



## SGSC1018IF

### Specification

Gross Capacity (Ltr)	1000
Cooling System	Fan Cooling
Door	Double Layered Glass With French Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1000x720 / 2100x1050x770
Weight (Net /Gross Kg)	144/154
Stuffing (20'/40'/40'HC Units)	16/33/33

FRENCH DOOR CHILLER



## SGSC819IF

### Specification

Gross Capacity (Ltr)	800
Cooling System	Fan Cooling
Door	Double Layered Glass With French Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1983x940x635 / 2060x990x685
Weight (Net /Gross Kg)	130/138
Stuffing (20'/40'/40'HC Units)	17/36/36

FRENCH DOOR CHILLER



## SGSC818IF

### Specification

Gross Capacity (Ltr)	800
Cooling System	Fan Cooling
Door	Double Layered Glass With French Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1983x940x635 / 2060x990x685
Weight (Net /Gross Kg)	130/138
Stuffing (20'/40'/40'HC Units)	17/36/36



**SGSC1217IS**

**Specification**

Gross Capacity (Ltr)	1200
Cooling System	Fan Cooling
Door	Double Layered Glass With Sliding Door
Shelves / Lock & Key	10 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1130x700 / 2100x1180x750
Weight (Net /Gross Kg)	156/167
Stuffing (20'/40'/40"HC Units)	15/30/30

SLIDING DOOR CHILLER



Thailand Compressor

**SGSC1216IS**

**Specification**

Gross Capacity (Ltr)	1200
Cooling System	Fan Cooling
Door	Double Layered Glass With Sliding Door
Shelves / Lock & Key	10 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023 x1130x700/ 2100x1180x750
Weight (Net /Gross Kg)	156/167
Stuffing (20'/40'/40"HC Units)	15/30/30

SLIDING DOOR CHILLER



**SGSC1017IS**

**Specification**

Gross Capacity (Ltr)	1000
Cooling System	Fan Cooling
Door	Double Layered Glass With Sliding Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1000x700 / 2100x1050x750
Weight (Net /Gross Kg)	142/152
Stuffing (20'/40'/40"HC Units)	16/33/33

SLIDING DOOR CHILLER



Thailand Compressor

**SGSC1016IS**

**Specification**

Gross Capacity (Ltr)	1000
Cooling System	Fan Cooling
Door	Double Layered Glass With Sliding Door
Shelves / Lock & Key	8 Shelves / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	2023x1000x700 / 2100x1050x750
Weight (Net /Gross Kg)	142/152
Stuffing (20'/40'/40"HC Units)	16/33/33

SLIDING DOOR CHILLER

# CHILLERS



SINGLE DOOR CHILLER



## SGSC398

### Specification

Gross Capacity (Ltr)	395
Cooling System	Defrost
Door	Single
Shelves / Lock & Key	4 Wired Shelves/ Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1972x580x600 / 2040x625x655
Weight (Net /Gross Kg)	76/83
Stuffing (20'/40'/40'HC Units)	-/-/75

SINGLE DOOR CHILLER



## SGSC298

### Specification

Gross Capacity (Ltr)	295
Cooling System	Defrost
Door	Double Layered Glass
Shelves / Lock & Key	3 Wired Shelves/ Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1675x535x580 / 1755x580x625
Weight (Net /Gross Kg)	58/64
Stuffing (20'/40'/40'HC Units)	-/-/102

SINGLE DOOR CHILLER



## SGSC256

### Specification

Gross Capacity (Ltr)	275
Cooling System	Defrost
Door	Layered Glass
Shelves / Lock & Key	5 Wired Shelves/ Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1440x550x580 / 1480x575x600
Weight (Net /Gross Kg)	50/55
Stuffing (20'/40'/40'HC Units)	-/-/140

SINGLE DOOR CHILLER



## SGSC137

### Specification

Gross Capacity (Ltr)	150
Cooling System	Defrost
Door	Single Layered Glass
Shelves / Lock & Key	3 Wired Shelves/ Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	850x550x580 / 880x575x600
Weight (Net /Gross Kg)	32/35
Stuffing (20'/40'/40'HC Units)	-/-/234

# WATER COOLERS



**REJUVENATE  
YOURSELF**