

# FREEZERS



## SGF155M

### Specification

Gross Capacity (Ltr)	150
Lining	aluminum
Basket	1
Lamp / Lock & Key / Castor	No/Yes/Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V/50-60Hz
Dimension (Prod/Pack HxWxD mm)	850x565x523/885x605x545
Weight (Net /Gross Kg)	27/30
Stuffing (20'/40'/40'HC Units)	80/164/245



## SGF244M

### Specification

Gross Capacity (Ltr)	250
Lining	aluminum
Basket	1
Lamp / Lock & Key / Castor	Yes/Yes/Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V/50Hz
Dimension (Prod/Pack HxWxD mm)	850x867x610/885x920x665
Weight (Net /Gross Kg)	36/40
Stuffing (20'/40'/40'HC Units)	42/87/131



## SGF344M

### Specification

Gross Capacity (Ltr)	350
Lining	aluminum
Basket	2
Lamp / Lock & Key / Castor	Yes/Yes/Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V/50Hz
Dimension (Prod/Pack HxWxD mm)	850x1115x670/885x1155x700
Weight (Net /Gross Kg)	42/46
Stuffing (20'/40'/40'HC Units)	32/66/101



## SGF544M

### Specification

Gross Capacity (Ltr)	550
Lining	aluminum
Basket	2
Lamp / Lock & Key / Castor	Yes/Yes/Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V/50Hz
Dimension (Prod/Pack HxWxD mm)	865x1424x685/885x1480x750
Weight (Net /Gross Kg)	59/66
Stuffing (20'/40'/40'HC Units)	20/48/72

150L CHEST FREEZER

250L CHEST FREEZER

350L CHEST FREEZER

550L CHEST FREEZER



**SGF155H**

**Specification**

Gross Capacity (Ltr)	150
Lining	Aluminum
Basket	1
Lamp / Lock & Key / Castor	No / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	835x632x565 / 880x650x580
Weight (Net /Gross Kg)	31/35
Stuffing (20'/40'/40'HC Units)	-/-/216

150L CHEST FREEZER



**SGF222**

Also Available: **SGF244H**

**Specification**

Gross Capacity (Ltr)	200 / 250
Lining	Aluminum
Basket	1
Lamp / Lock & Key / Castor	No/Yes/Yes - Yes/Yes/Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	835x822x565 / 880x580x840 835x996x565 / 880x1012x580
Weight (Net /Gross Kg)	35/39 - 39/43
Stuffing (20'/40'/40'HC Units)	-/-/168 -- -/-/138

200L CHEST FREEZER



**SGF344H**

Also Available: **SGF444H**

**Specification**

Gross Capacity (Ltr)	350 / 450
Lining / Basket	Aluminum / 1
Lamp / Lock & Key / Castor	Yes / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	835x1120x688 - 880x1137x735 827x1300x714 - 870x1317x727
Weight (Net - Gross Kg)	48/52 - 58/63
Stuffing (20'/40'/40'HC Units)	-/-/95 - -/-/75

350L CHEST FREEZER



**SGF744H**

Also Available: **SGF544H**

**Specification**

Gross Capacity	700 / 550
Lining / Basket	Aluminum / 1
Lamp / Lock & Key/ Castor	Yes / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	840x1660x674 - 870x1685x735 827x1470x714 - 870x1487x727
Weight (Net /Gross Kg)	65/78 - 63/70
Stuffing (20'/40'/40'HC Units)	-/-/63 - -/-/72

700L CHEST FREEZER

# FREEZERS



300L CHEST FREEZER



## SGF322X

### Specification

Gross Capacity (Ltr)	300
Lining	Aluminium
Basket	1
Lamp / Lock & Key / Castor	No / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	540x985x826 / 645x1,040x870
Weight (Net /Gross Kg)	40/44
Stuffing (20'/40'/40"HC Units)	53/106/116

300L CHEST FREEZER



## SGF322M

### Specification

Gross Capacity (Ltr)	300
Lining	aluminum
Basket	1
Lamp / Lock & Key / Castor	Yes / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V/50Hz
Dimension (Prod/Pack HxWxD mm)	850x980x600 / 885x1025x625
Weight (Net /Gross Kg)	38/40
Stuffing (20'/40'/40"HC Units)	40/84/122

150L CHEST FREEZER



## SGF156

### Specification

Gross Capacity (Ltr)	150
Lining	aluminum
Basket	1
Lamp / Lock & Key / Castor	No / Yes / Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	845x545x550 / 885x570x570
Weight (Net /Gross Kg)	25/27
Stuffing (20'/40'/40"HC Units)	104/220/248

150L CHEST FREEZER



## SGF155E

Also Available: **SGF244E**

### Specification

Gross Capacity (Ltr)	150 / 250
Lining / Basket	aluminium / 1
Lamp / Lock & Key / Castor	Yes / Yes / Yes
Refrigerant Type	R134A
Voltage (V, Hz)	220V-240V, 50Hz
Dimension (Prod - Pack HxWxD mm)	564x840x606 - 578x885x660 649x932x855 - 660x977x915
Weight (Net - Gross Kg)	31/33 - 36/41
Stuffing (20'/40'/40"HC Units)	-/214 -/108



**SGF344E**

Also Available: **SGF444E**

**Specification**

Gross Capacity (Ltr)	350 / 450
Lining / Basket	aluminium - 1 / 2
Lamp / Lock & Key / Castor	Yes / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220V-240V~/50Hz
Dimension (Prod - Pack HxWxD mm)	649x1098x932 - 660x1158x977
	735x1195x907 - 745x1245x955
Weight (Net - Gross Kg)	43/52 - 61/67
Stuffing (20'/40'/40'HC Units)	-/-95 -/-177

350L CHEST FREEZER



**SGF544E**

Also Available: **SGF644E**

**Specification**

Gross Capacity (Ltr)	550 / 650
Lining / Basket	aluminium / 2
Lamp / Lock & Key / Castor	Yes / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220V-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	749x1375x907 - 760x1435x944
	749x1568x907 - 760x1628x944
Weight (Net - Gross Kg)	68/76 - 82/91
Stuffing (20'/40'/40'HC Units)	-/-64 -/-156

550L CHEST FREEZER



**SGF410ICE**

Also Available: **SGF320ICE**

**Specification**

Gross Capacity (Ltr)	400 / 300
Lining / Basket	aluminium / 2
Lamp / Lock & Key / Castor	Yes / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220V-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	820x1178x628 / 950x1250x690
	820x1060x546 / 950x1130x605
Weight (Net - Gross Kg)	55/62 - 50/56
Stuffing (20'/40'/40'HC Units)	-/-77 -/-104

400L CHEST FREEZER



**SGF155HG / SGF155HVR**

Also Available: **SGF155HN, SGF155HBR**

**Specification**

Gross Capacity (Ltr)	150
Lining	Aluminum
Basket	1
Lamp / Lock & Key / Castor	No / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	632x565x835 / 650x580x890
Weight (Net /Gross Kg)	31/33
Stuffing (20'/40'/40'HC Units)	-/-238

150L CHEST FREEZER



# FREEZERS



250L CHEST FREEZER



**SGF244HG / SGF244HVR** Also Available: **SGF244HN, SGF244HBR**

### Specification

Gross Capacity (Ltr)	250
Lining	Aluminum
Basket	1
Lamp / Lock & Key / Castor	No / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	835x996x565 / 890x1012x580
Weight (Net /Gross Kg)	39/42
Stuffing (20'/40'/40'HC Units)	-/-/138

350L CHEST FREEZER



**SGF344HG / SGF344HVR** Also Available: **SGF344HN, SGF344HBR**

### Specification

Gross Capacity (Ltr)	350
Lining	Aluminum
Basket	1
Lamp / Lock & Key / Castor	Yes / Yes/ Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	835x1120x688 / 880x1137x735
Weight (Net /Gross Kg)	48/52
Stuffing (20'/40'/40'HC Units)	-/-/95

650L CHEST FREEZER



### SGF650DD

### Specification

Gross Capacity (Ltr)	650
Lining	Aluminum
Basket	1
Lamp / Lock & Key / Castor	Yes / Yes / Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	840x1470x670 / 870x1490x735
Weight (Net /Gross Kg)	63/70
Stuffing (20'/40'/40'HC Units)	-/-/72

870L CHEST FREEZER



### SGF877DD

### Specification

Gross Capacity (Ltr)	870
Lining / Basket	Aluminum / 2
Lamp / Lock & Key / Castor	Yes/Yes/Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V/50Hz
Dimension (Prod - Pack HxWxD mm)	950x2195x795-1140x2250x820
Weight (Net - Gross Kg)	125/145
Stuffing (20'/40'/40'HC Units)	14/28/28



**SGF677DD**

Also Available: **SGF577DD**

**Specification**

Gross Capacity (Ltr)	670 / 570
Lining	Aluminum
Basket	2
Lamp / Lock & Key / Castor	Yes/Yes/Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	930x1650x720/990x1705x745 890x1489x650/920x1550x745
Weight (Net /Gross Kg)	82/94 - 77/82
Stuffing (20'/40'/40'HC Units)	20/42/42 - 20/44/58

670L CHEST FREEZER



**SGUF335EVPICE**

Also Available: **SGUF 385 EVPICE**

**Specification**

Gross Capacity (Ltr)	335 / 385
Lining	HIPS
Basket	N
Lamp / Lock & Key / Castor	Lock & Key
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	583x1435x550 / 595x1490x575 596x1744x595 / 630x1783x620
Weight (Net /Gross Kg)	52/56 - 62/67
Stuffing (20'/40'/40'HC Units)	-/-144 - -/-177

335/385L CHEST FREEZER



**SGUF125H**

**Specification**

Gross Capacity (Ltr)	125
Lining	Plastic & Steel
Basket	No
Lamp / Lock & Key / Castor	No / Yes / No
Refrigerant Type	R134a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	850x550x580 / 880x575x595
Weight (Net /Gross Kg)	33/35
Stuffing (20'/40'/40'HC Units)	-/-236

125L UPRIGHT FREEZER



**SGUF307H**

Also Available: **SGUF307HS**

**Specification**

Gross Capacity	300
Lining / Drawers	-/6
Basket / Cooling Type	-/Defrost
Lamp / Lock & Key / Reversible Door	Yes/Yes/Yes
Castor / Adjustable Legs	-/Yes
Refrigerant Type	R134a
Voltage (V, Hz)	220~240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1430x550x580/1437x575x605
Weight (Net /Gross Kg)	50/55
Stuffing (20'/40'/40'HC Units)	49/108/142

300L UPRIGHT FREEZER

# FREEZERS



350L UPRIGHT FREEZER



## SGUF348H

Also Available: **SGF244HN, SGF244HBR**

### Specification

Gross Capacity	350
Lining / Drawers	- / 7
Basket / Cooling Type	- / Defrost
Lamp / Lock & Key / Reversible Door	- / Yes
Castor / Adjustable Legs	- / Yes
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	1700x600x600 / 1783x650x635
Weight (Net /Gross Kg)	64/70
Stuffing (20'/40'/40'HC Units)	-/54/74

200L CHEST FREEZER



## SGF228

Also Available: **SGF208**

### Specification

Gross Capacity (Ltr)	200/250
Lining	Aluminum
Basket	1
Lamp / Lock & Key / Castor	Lock & Key / 4 Castor
Refrigerant Type	R600a
Voltage (V, Hz)	220~240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	845x705x545 / 885x730x775
	845x960x700 / 885x999x748
Weight (Net /Gross Kg)	28/31 - 32/36
Stuffing (20'/40'/40'HC Units)	82/167/193 - 60/126/149

260L CHEST FREEZER



## SGF308

Also Available: **SGF328**

### Specification

Gross Capacity (Ltr)	300/350
Lining	Aluminum
Basket	1
Lamp / Lock & Key / Castor	Lamp/Lock & Key/4 Castor
Refrigerant Type	R600a
Voltage (V, Hz)	220~240V, 50Hz
Dimension (Prod/Pack HxWxD mm)	845x960x700 / 885x999x748
	845x1120x700 / 885x1156x748
Weight (Net /Gross Kg)	40/46 - 44/50
Stuffing (20'/40'/40'HC Units)	-/72/105 - /64/92

380L CHEST FREEZER



## SGF428

### Specification

Gross Capacity (Ltr)	450
Lining / Basket	Aluminum / 1
Lamp / Lock & Key / Castor	Lamp/Lock & Key/4 Castor
Refrigerant Type	R600a
Voltage (V, Hz)	220-240V, 50Hz
Dimension (Prod - Pack HxWxD mm)	845x1300x700 / 885x1336x748
Weight (Net - Gross Kg)	50/57
Stuffing (20'/40'/40'HC Units)	-/50/75



A woman with brown hair, wearing a light-colored cardigan over a white top, is smiling and looking towards a glass chiller in a grocery store. She is holding a clear plastic water bottle with a blue cap. The chiller is filled with water and has a black handle. In the background, there are shelves stocked with various products, including a large yellow stuffed animal.

**CHILLERS**



**HEALTHY  
FRESH**